


















Standard Features:

- 37,000 Btu/h of Cooling
- Up to 5 GPH Atomization
- 65 Gallon Tank Capacity
- 4 Sweep Oscillation
- Auto Shut-Off & Auto Fill
- Indoor/Outdoor Applications





SPECIFICATIONS:

Length 40 inches / 102 cm

CoolAireMist

Dimensions:

Width 29 inches / 74 cm
Height 65 inches / 165 cm
Approximate Weight: 110 lbs / 49.9 kg
Approximate Shipping Weight: 156 lbs / 70.8 kg

Fogging Head Osc. Sweeps: 30°, 4
Fogging Head Pivot: 7.5° t

Tank Capacity:

Noise @ 10 ft. distance:

Height 65 inches / 165 c 110 lbs / 49.9 kg 156 lbs / 70.8 kg 30°, 45°, 60°, 75° 7.5° to 30° 69 dB(A) - 60Hz 66 dB(A) - 50Hz

65 U.S. Gallons / 246 Liters



Mobile Mist Cooler

CoolAire Mist

- Quality Craftsmanship - Commercial Grade

CoolAire Mist $^{\text{TM}}$ is a simplified low-cost alternative for evaporative cooling in many commercial / industrial applications.

A compact mist cooler with superior energy efficiency and unique features.

The atomizing fan produces billions of tiny, fog-like particles that evaporate quickly, producing cool air-flows.

- Nozzle free atomization
- Easy Adjust Fogging Sweep
- Corrosion Resistant
- Recycles Wastewater
- Arrives Fully Assembled

| Product # | Motor | Electrical Rating | Max. Fog | Btu/h |
|-----------------------|--------|-------------------|----------|--------|
| C00L-101 | 1/4 HP | 115V 60Hz 1Ph | 5 GPH | 37,000 |
| 50Hz Overseas Voltage | | | | |
| C00L-102 | 1/5 HP | 230V 50Hz 1Ph | 5 GPH | 30,000 |





Transforms for secure and convenient transport or storage





Lightweight atomizer/fan for easy one person set-up and break-down



Features



Control Panel (2 Modes)

Features two operational modes:

[ON] - for manual or automated operation (when combined with additional control). [SHUT-OFF mode] - will automatically turn off the unit when tank becomes empty.

 1/4-turn flow control regulates misting output between Maximum and Minimum preset levels

Pivoting Atomizing Head

Easy Pivot Adjustment, no tools required

Mist propelled up high has more time to evaporate, as cool humidified air naturally descends. An upward fogging angle aids to keep floors dry and allows for greater output.

- Upward Pivot Angle to 30°
- Ideal for many applications including humidification
 & chemical fogging
- Enhances Performance



Adjustable Oscillator (4 Sweeps)

Optimize cooling performance by adjusting the sweep angle. Gain up to 50% more time in areas you want to emphasize and eliminate time sweeping negative areas.

- Sweep Angles 30°, 45°, 60° and 75°
- Methodical 10 second sweep movement
- Adjust in 20 seconds, no tools required





Rear-Feed Blade

Exclusive Performance

- · Reliable and simple atomization
- Wash-Down-Duty Motor, Industrial grade for use around water



Heavy-Duty Wheels

Premium Performance

- · Easy Push & Smooth Glide
- Convenient Access to Step-on-Brakes
- Double action brakes secures swivel movement & wheel rotation



5 Star Materials

Premium Performance

- Twill Weave Carbon Fiber
- 304 (18-8) Stainless Steel
- Rain Tight (IP 65) Light Indicating Switches



MANUFACTURER'S ONE YEAR LIMITED WARRANTY

Aquafog and accessories are warranted to the original purchaser against defects in material and workmanship under normal use for one full year from date of purchase. Any part determined to be defective and returned to the manufacturer, shipping cost prepaid, will be repaired or replaced at Jaybird Manufacturing, Inc.'s option without charge. Proof of purchase date and an explanation of the problem or complaint must accompany the returned portion of the machine.

Jaybird Manufacturing, Inc. reserves the right to verify the legitimacy of claimed defects. The provisions of this warranty do not apply to damage resulting from direct or indirect misuse, negligence, accident, lack of maintenance, or unauthorized repairs or alterations which affect the machine's performance or reliability.

LIMITATIONS OF LIABILITY. TO THE EXTENT ALLOWABLE UNDER APPLICABLE LAW, JAYBIRD MANUFACTURING, INC.'S LIABILITY FOR DEATH, INJURIES TO PERSONS OR PROPERTY, OR FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES ARISING FROM THE USE OF OUR EQUIPMENT IS EXPRESSLY DISCLAIMED. JAYBIRD MANUFACTURING, INC.'S LIABILITY IN ALL EVENTS IS LIMITED TO, AND SHALL NOT EXCEED, THE PURCHASE PRICE PAID. NO OTHER WARRANTY, EXPRESSED OR IMPLIED, IS AUTHORIZED, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

This warranty gives you specific legal rights, and you may also have other rights, which vary from state to state.



Distributed by: